



RESIDENTIAL INTERIOR DOORS

Lynden Door

FineLine

StileLine™ • ReDiscovery

New Leaf™ Performance Veneer

Wood Veneer • Pacific Collection

Prefinished Hardboard

MOLDED HIGH DENSITY FIBERBOARD • VanAir™ Ventilated Door



We invite you to discover what over 40 years of wood door manufacturing experience can bring to your next project.

A 3rd generation, family-owned company located in the beautiful Pacific Northwest, Lynden Door, Inc. builds residential, commercial and architectural doors suited for nearly every type of application or market segment, no matter the scale, location or complexity. Our customization capabilities and wide breadth of interior door styles and designs will offer a solution for any of your decor and building needs.

Lynden Door has a unique history serving God through supporting the needs of its employees, their families and evangelical ministries in the community of Lynden, WA and beyond. We trust that you will find our passion for crafting beautiful, durable, high quality doors and providing exceptional customer service is distinctly evident.

We are genuinely grateful for your business and support.

SERVICES • OPTIONS



FIRE DOOR Any of our solid core interior panel doors are available with a 20-minute fire rating for your “House To Garage” application. Lynden Door also offers a full suite of neutral and positive pressure fire doors for 20, 45, 60 and 90-Minute rated applications.



STC Sound transmission control up to STC 46 suitable . Lynden Door offers sound rated doors to meet the demands of high-sound impact areas found in both residential communities and businesses near airports, high traffic areas and other noise pollution.



SUSTAINABLE With a history of commitment to environmental stewardship, Lynden Door is responsive to the green programs and materials in our marketplace. LEED-compliant options are available for virtually every door we make, including meeting of current government emissions standards.



GLAZING, VISION LITES, AND APPLIED MOLDING Factory door prep and machining for in-house lite installations and applied moldings open opportunities for unique design choices such as interior French doors that match your solid core panel doors and our VanAir Ventilated Doors.



CUSTOM ROUTING AND INLAY Add design flair to wood veneer or painted hardboard with custom CNC routed lines and angles. Ask us about wood and metal inlays.



FACTORY FINISHING Lynden Door offers a variety of factory finish options for all your design needs – clear and custom standard factory finishes, and durable non-marring custom painting – all of which are produced under very strict quality controls and contain no VOC's (Volatile Organic Compounds).



FACTORY MACHINING FOR HARDWARE Lynden Door is fully equipped to carry out the most demanding and complex machining instructions and hardware preparations with automated precision.



Uniform Light
Birch Veneer



Aberdeen
Molded



White Oak
StileLine



Alki
FineLine


VISIT LYNDENDOOR.COM FOR MORE DETAILS

FINELINE

Minimalistic. Contemporary.

FineLine doors by Lynden Door bring a fresh, stylish appearance to any interior space.

FineLine's grooved profile lines are positioned to bring linear dimension as a modernizing accent or simply to bring accessibility and structure to contemporary spaces.



All FineLine profiles are available in 6'8", 7'0" and 8'0" heights.

Alki, Denman and Robson 8'0" door designs feature 6 panels.


Bifolds are available in the Denman, Montlake, Parkrose and Robson designs. Match Alki doors with Robson or Denman bifolds and Laurelhurst with Parkrose bifolds.





A modernizing solution to contemporary spaces.

- Smooth, routed MDF surface is ready for paint.
- Route lines are .22 inches wide, .045 inches (+/- .005) deep with a 30 degree bevel providing an easily paintable surface within the groove lines.



- Six standard profiles offered in 6'8" with optional 7'0" and 8'0" heights. Up to 4'0" wide, greater widths available special order.*
- Paired doors and 4-door bifolds are available as special order.*
- Profile lines positioned to accommodate most hardware locations.
- 1-3/8" and 1-3/4" thickness, hollow and solid core available.
- FineLine bifolds available in the following profiles: Robson, Denman, Parkrose, Montlake.
- 20-minute fire rated (all sizes) and 45-minute fire rated (up to 3'0" x 7'0" single swing) available as Category A or B.*

*Contact your Lynden Door representative for more information.

FINE | LINE



STILELINE™

The excitement of European styling with an opposing grain creates a bold, modern look at an attractive price.* ♦

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Custom options



AFRICAN MAHOGANY

Sketch Face
Quarter Sawn



WHITE MAPLE

Sketch Face
Plain Sliced



WHITE OAK

Sketch Face
Rift Cut



BLACK WALNUT

Sketch Face
Quarter Sawn



REDISCOVERY

The Rediscovery Collection provides contemporary and custom expressions in vertical grain, horizontal grain or sketch face designs, species and finishes.* ♦

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Custom options



COMPOSITION

Inlays
Shown in Sapele/Maple

Inlays
Shown in Maple/Sapele



TABLEAU

Horizontal Grain
Shown in Walnut



RHYTMUS

Sketch Face
Shown in Jatoba



Pacific Collection and ClearLine Factory Finish

Lynden Door's Pacific Collection and ClearLine Factory Finish offers a state of the art VOC free, ultra violet cured clear or custom stain finish.

The highly affordable finishes are available with all wood veneer doors. See page 7 for more information.

* Available with Pacific Collection and ClearLine Factory Finish.

♦ Horizontal grain pair matches are not available. Pleasing matches available by special order.

WOOD VENEER

Lynden Door wood veneer doors provide the beauty and warmth of natural wood and one of a kind, unique wood grain patterns. All wood veneers are pre-graded to ensure defect-free surfaces.*

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Special order wood veneers available

Ask your Lynden Door distributor for matching wood jambs and millwork to create a completely integrated look.

* Available with Pacific Collection and ClearLine Factory Finish.



MAHOGANY
Rotary Cut



SAPELE
Quarter Sliced



NATURAL BIRCH
Rotary Cut



UNIFORM LIGHT BIRCH
Rotary Cut



WHITE MAPLE
Rotary Cut



RED OAK
Plain Sliced



PACIFIC COLLECTION

The Pacific Collection is a carefully composed array of seven pre-set stain colors, applied to any natural wood veneer. Due to their excellent stainability we recommend Pacific Collection stains for Natural Birch, Red Oak and White Maple.


- 100% colorfast
- Stains consists of organic earthen pigments
- Antibacterial – helps prevent bacteria growth on the door surface
- No VOC emissions during coating process
- No formaldehyde
- Finish is non-flammable – does not influence flame spread rating or smoke density
- Ultraviolet inhibitors keep the finish “water white” (clear)
- Protects and slows the natural aging of the wood
- Custom color matches available

Pacific Collection applications include stain and transparent top coat. The finishes are applied by skilled technicians in a tightly controlled production environment and exceed TR-6, AWI UV cured specifications, the architectural industry standard.


NATURAL BIRCH



RED OAK



WHITE MAPLE



Photographs are a close approximation of stain colors. Do not make final color selection based on this page. Contact Lynden Door for stain veneer samples to provide a closer representation of the finished appearance. Actual COLOR and GRAIN may vary from the EXAMPLES shown above.



ANTIMICROBIAL

PERFORMANCE VENEER

Taking the beauty, depth and dimension of natural wood grain and elevating it to a level of consistency and performance unimaginable with traditional veneers.

Lynden Door introduces the innovative New Leaf™ Performance Veneer Door Collection; bringing the warmth of natural wood and advanced antimicrobial surface protection treatments to your home through pioneering modern technology.

THE NATURE OF INNOVATION

The artist behind our New Leaf Performance Veneer Door Collection is nature itself. Each performance veneered surface is an exact replica of an authentic natural wood surface, hand-selected for its perfect embodiment of the character and grain of that wood species and cut.

The innovation is possible through advanced reproduction technologies and a revolutionary topcoat that refracts light, allowing the depth and clarity of the wood grain to shine through as it provides lasting protection to the prefinished veneer. Beautifully predictable veneered surfaces that set a new standard for enduring natural style. And because it remains consistent over time, New Leaf veneers purchased years from now will match those installed today.

- New Leaf Antimicrobial Protection inhibits the growth of stain and odor causing bacteria, mold, and mildew through proven silver ion technology
- Offered in 6'8", 7'0", 8'0", 9'0" and 10'0" heights and up to 5'0" in width
- Two door and four door bifolds available
- Available as hollow or solid core, 1-3/8" and 20-minute rated/nonrated 1-3/4"
- Additional wood species and stains available
Color options include Natural, Toffee, Merlot, Stone and Slate
- Performance veneers offered with matte or semi-gloss pre-coat polyurethane finish. Textured surfaces available in some veneers
- Door facings contain No Added Formaldehyde (NAF)
- CARB Phase II and TSCA Title VI environmental compliant





ANTIMICROBIAL
inhibits growth
of bacteria
through silver ion
technology



3X MORE*
fade & color
change resistant



2X MORE*
water
resistant



16X MORE*
crack
resistant



14X MORE*
impact
resistant



4X MORE*
wear
resistant



8X MORE*
dent
resistant



4X MORE*
scratch
resistant

*Results of Performance Veneer vs. traditional veneer with UV clear finish using standard industry testing procedures. Results above are "up to" performance statements and may vary based on individual manufacturer's topcoat formula.

BIRCH
Quarter Sawn



NATURAL
V013



TOFFEE
V011



STONE
V012



SLATE
V015

BLACK WALNUT
Plain Sawn



NATURAL
V022

CHERRY
Quarter Sawn



NATURAL
V003



STONE
V002

MAHOGANY
Plain Sawn



NATURAL
V026

MAPLE
Rift Cut



NATURAL
V018

ROSEWOOD
Quarter Sawn



NATURAL
V037

WHITE OAK
Plain Sawn



NATURAL
V008

WHITE OAK
Quarter Sawn



NATURAL
V033



MERLOT
V034



STONE
V032



SLATE
V035

PREFINISHED HARDBOARD

Durable and stable.

Lynden Door Prefinished Hardboard doors arrive ready to install with a factory applied, uniform finish that will keep them attractive and easy to maintain.

- Hollow or solid core
- Smooth, textured, embossed
- Bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options



RIFT CUT
SLATE
Textured



RIFT CUT
MEDIUM WALNUT
Textured



RIFT CUT
COFFEE
Textured



RIFT CUT
TEAK
Textured





Easy maintenance.

Professionally painted uniform finish is UV cured and will keep doors attractive and easy to maintain. Lynden Door distributors and dealers can provide matching frames and trim for a completely integrated look.

Offered in a variety of finishes, covering the spectrum from light to dark and traditional to contemporary.

Primed Hardboard with a smooth or embossed surface also available.



WESTERN HEMLOCK
Smooth



COASTAL HEMLOCK
Smooth



SPICED ASH
Smooth



ALBANY MAPLE
Smooth



ALPINE OAK
Smooth



DRIFTWOOD
Smooth



STRAND OAK
Smooth



NEWPORT CHERRY
Smooth



CRYSTAL WHITE
Embossed



BEAUPORT WALNUT
Embossed



MENDOCINO OAK
Embossed



CHESAPEAKE
Embossed



WESTERN OAK
Embossed



LIGHT GOLDEN OAK
Embossed



CANAXEL GOLDEN OAK
Deep Embossed

Photographs are a close approximation of stain colors and may vary from actual products. Contact Lynden Door for prefinished hardboard color samples.

MOLDED HIGH DENSITY FIBERBOARD

Uniquely Versatile.

Stable Performance. No cracking or panel separation.

Superior Value. Compelling design and customizing opportunity at a significant value versus solid wood doors. All Lynden Door molded panels are factory primed, pre-graded and acclimated before fabrication to produce top quality, stable surfaces. Molded door panels offer an ideal substrate for finish painting.

- Molded high density fiberboard facings resist joint separation
- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4" in 6'8", 7'0" & 8'0" (See sizing chart for more information.)
- STC and fire rated options



MERCER
Smooth
Flat Panel



WHITMAN
Smooth
Flat Panel




ABERDEEN
Smooth
Flat Panel



YARROW
Smooth
Flat Panel



WINTHROP
Smooth
Flat Panel





Molded doors have become a major influence in the residential and light commercial built environment.

With Lynden Door's extensive collection of smooth and textured molded profiles, a design is made to suit virtually every taste and decor. Offered in both raised and flat panel profiles, molded panel doors are an attractive fit for both traditional and contemporary spaces with flexible construction in hollow or solid core and rated/non-rated options.



KINGSTON
Smooth
Raised Panel



ROSARIO
Smooth
Raised Panel



LOPEZ
Smooth - Grooved
Raised Panel



SAMISH
Smooth
Raised Panel



BENTON
Smooth
Raised Panel



COLUMBIA
Smooth
Raised Panel



BLAKELY
Textured
Raised Panel



BONNEVILLE
Textured
Raised Panel

STOCK SIZING CHART

MOLDED DOORS

			PASSAGE DOORS WIDTHS													BIFOLD DOOR WIDTHS										
6'8" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S		2	3	✓	✓	✓	3	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
WHITMAN	FP	S		2	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
ABERDEEN	FP	S				3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
YARROW	FP	S			2	3	✓	✓	3	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
WINTHROP	FP	S			2	3	✓	✓	3	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
KINGSTON	RP	S		2	3	✓	✓	✓	3	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
ROSARIO	RP	S		2	3	✓	✓	✓	3	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
LOPEZ	RP	S			2	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
SAMISH	RP	S				3	✓	✓	3	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
BENTON	RP	S				2	✓	✓	3	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓		✓	✓	✓		✓
COLUMBIA	RP	S				✓	✓	✓	✓	3	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
BLAKELY	RP	T				✓	✓	✓	3	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
BONNEVILLE	RP	T				✓	✓	✓	✓	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7'0" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S		2	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
WHITMAN	FP	S				3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
ABERDEEN	FP	S				3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
YARROW	FP	S					1	1	3	✓	✓	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
WINTHROP	FP	S					1	1	1,3	1	1	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
KINGSTON	RP	S				1	3	✓	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ROSARIO	RP	S					3	✓	3	✓	✓	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
LOPEZ	RP	S				1,2	1,3	1	1	1	1	1	1	1	1	1			1	1	1	1	1	1	1	1
SAMISH	RP	S					1	1	1,3	1	1	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
COLUMBIA	RP	S					1	1	3	✓	✓	✓	✓	✓	✓	✓			1	1	✓	1	✓	1	✓	1
BONNEVILLE	RP	T							1,3	1	1	1	1	1	1	✓			1	1	1	1	✓	1	1	1
8'0" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S		2	3	✓	✓	✓	3	✓	3	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
WHITMAN	FP	S			2	3	✓	2	3	✓	3	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
ABERDEEN	FP	S			2	3	✓	2	3	✓	3	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
WINTHROP	FP	S				3	✓	✓	3	✓	✓	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
KINGSTON	RP	S					3	✓	3	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓
ROSARIO	RP	S					3	✓	3	✓	✓	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
LOPEZ	RP	S			2	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓										
SAMISH	RP	S				3	✓	✓	3	✓	3	✓	✓	✓	✓	✓			1	1	1	1	1	1	1	1
BENTON	RP	S			2	3	✓	✓	3	✓	✓	✓	✓	✓	✓	✓										
COLUMBIA	RP	S				1,3	1	1	1	3	✓	3	✓	✓	3	✓			1	1	1	1	1	1	1	1
BONNEVILLE	RP	T				1,3	1	1	1	3	✓	3	✓	✓	3	✓			✓	✓	✓	✓	✓	✓	✓	✓

FP - Flat Panel
RP - Raised Panel

S - Smooth Surface
T - Textured Surface

✓ Available – stock item
1. Available – longer lead times may apply

2. Available – stock item with 2" face stile
3. Available – stock item with 3" face stile

Note: Door face stiles are 3-5/8" or larger to accommodate most common residential 2-3/4" back-set preparation. Exceptions are noted.

Door sizing is divided into two basic categories: Molded Panel and Flush doors.

Molded panel doors are available in a standard range of sizes, based on our ability to configure the molded panels – please consult the chart.

Flush doors STANDARD RANGE: 1'0" to 4'0" in width, up to 8'0" in height. Custom sizing is available, however some restrictions may apply. Flush doors include: veneer; StileLine® sketch face veneer and the Rediscovery Collection; prefinished hardboard; and high pressure decorative laminates (not shown in this brochure). Flush doors are not constrained by panel lay-out like molded panel doors and are available in a great variety of sizes.

Sizing Notes: Lynden Door wholesale distributors add significant value and convenience by maintaining large inventories of standard size doors for competitive pricing and fast delivery. Custom sizing is a common service at Lynden Door and we thrive on accommodating your special needs at an affordable price. However some restrictions may apply.

Lynden doors are fabricated with wider top and bottom rails: 2" – 2-1/4" after trim. This allows for site trimming of doors up to 1" on each end without jeopardizing door strength.

Blended Offering: Lynden Door's unique product portfolio offers residential, architectural (LD), and commercial (CD) doors all made in one facility. This blended offering allows us to meet the needs of even the most diverse specification as we can draw from the strengths of all three door series.



VanAir™ Ventilated Door

Comfort and Well-Being.

THE VANAIR VENTILATED DOOR challenges the traditionally held views of what a door is supposed to do.

VanAir Ventilated Doors offer air flow pathways promoting comfort and well-being in your home and reduces the need for vents, grilles, dropped ceilings and ducting which can interfere with surrounding design elements and aesthetics.

- Create comfortable room environments by alleviating temperature, humidity and pressure build-up
- Reduce carbon dioxide build-up for healthier spaces
- Keep laundry appliances and bathroom exhaust fans running efficiently
- Improve ventilation without the use of unsightly vents and grilles
- 1-Year Limited Interior Warranty
- Available with StileLine, Rediscovery, FineLine, wood veneers, prefinished and primed hardboard door designs
- 1-3/8" and 1-3/4" Non-rated



AIRFLOW PATHWAY

Air flows in from one side, through the door core and out the opposing side.



SOUND PRIVACY

Lab-tested baffling and resonators are integrated into the door core to block high and low frequency sound.





2077 Main Street
Lynden, WA 98264

PHONE: 800.631.DOOR (3667)
360.354.5676

FAX: 360.354.3738

info@lyndendoor.com

lyndendoor.com

